


Google Hash Code

Self-driving rides

Hash Code 2018, Online Qualification Round

Problem Statement

Problem representation



Notes

Notes

Problem Statement

Problem representation


- R, C number of rows and columns in the grid
- F size of the fleet (number of vehicles)
- N number of rides
 - $\forall r \in [1, N], s_r, f_r$: starting and ending points of the ride
 - $\forall r \in [1, N], e_r, l_r$: earliest start time and latest end time of the ride
- B bonus for rides that start on time
- T time horizon
- Score for a ride: distance of the ride plus a potential bonus if it starts on time

Objective: Maximize the score for all completed rides

Notes

Example

Example



Notes

Example

Example

- Grid with 3 rows and 4 columns
- 2 vehicles
- 3 rides
 - $s_0 = (0, 2), f_0 = (2, 2), e_0 = 2, l_0 = 14$
 - $s_1 = (2, 1), f_1 = (0, 1), e_1 = 4, l_1 = 14$
 - $s_2 = (1, 0), f_2 = (3, 2), e_2 = 0, l_2 = 14$
- Bonus: 2
- Time horizon: 15 time steps

Problem Statement

Variables?

- The rides assigned to the vehicles
 - $\forall v \in [0, F - 1], L_v$: the list of rides assigned to vehicle v

Notes

Notes

Greedy Algorithm

Principle

- At each step, a choice is made that seems the best at that moment
- It constructs a solution step by step
 - Without revisiting decisions
 - By making the best choice at each step
 - Hoping to achieve an optimal global result
- Greedy Approach
 - No guarantee of optimality for some problems (greedy heuristic)
 - Low-cost (compared to exhaustive enumeration)
 - Intuitive choice

Notes

Greedy Algorithm

Example

- 2 vehicles, 3 rides
 - $s_2 = (1, 0)$, $f_2 = (3, 2)$, $e_2 = 0$, $l_2 = 14$, $d_2 = 4$
 - $s_0 = (0, 2)$, $f_0 = (2, 2)$, $e_0 = 2$, $l_0 = 14$, $d_0 = 2$
 - $s_1 = (2, 1)$, $f_1 = (0, 1)$, $e_1 = 4$, $l_1 = 14$, $d_1 = 2$

Objective: Maximize the score for all completed rides

- Sort the rides by decreasing distance
- Go through the rides and try to assign each one to a vehicle to maximize the score (distance + bonus)

Notes

Greedy Algorithm

Example

- 2 vehicles, 3 rides

- $s_2 = (1, 0)$, $f_2 = (3, 2)$, $e_2 = 0$, $l_2 = 14$, $d_2 = 4$
- $s_0 = (0, 2)$, $f_0 = (2, 2)$, $e_0 = 2$, $l_0 = 14$, $d_0 = 2$
- $s_1 = (2, 1)$, $f_1 = (0, 1)$, $e_1 = 4$, $l_1 = 14$, $d_1 = 2$

- $L_0 = [2, 1]$

$$t_0 = 9, p_0 = (0, 1)$$

- $L_1 = [0]$

$$t_1 = 4, p_1 = (2, 2)$$

- score = 10

Notes

Greedy Algorithm

Example

- 2 vehicles, 3 rides

- $s_2 = (1, 0)$, $f_2 = (3, 2)$, $e_2 = 0$, $l_2 = 14$, $d_2 = 4$
- $s_0 = (0, 2)$, $f_0 = (2, 2)$, $e_0 = 2$, $l_0 = 14$, $d_0 = 2$
- $s_1 = (2, 1)$, $f_1 = (0, 1)$, $e_1 = 4$, $l_1 = 14$, $d_1 = 2$

Improvements

You can change the strategy

- 1 Sort rides by decreasing distance
- 2 Sort rides by bonus potential
- 3 Use a combination of both strategies

Notes
